

Clinical Outcomes, Physical Disorders (B)

- Baala, L., Hadj-Rabia, S., Hamel-Teillac, D., Hadchouel, M., Prost, C., Leal, S. M., Jacquemin, E., Sefiani, A., *et al.* (2002). Homozygosity mapping of a locus for a novel syndromic ichthyosis to chromosome 3q27-q28. *Journal of Investigative Dermatology* **119**: 70-76.
- Baccetti, B., Capitani, S., Collodel, G., Strehler, E. and Piomboni, P. (2002). Recent advances in human sperm pathology. *Contraception* **65**: 283-287.
- Bacon, C. and Fryers, P. (1994). Infant death and consanguineous marriage [letter, comment]. *British Medical Journal* **52**: 980.
- Bacon, W., Hall, R. K., Roset, J. P., Boukari, A., Tenenbaum, H. and Walter, B. (1999). GAPO syndrome: a new case of this rare syndrome and a review of the relative importance of different phenotypic features in diagnosis. *Journal of Craniofacial Genetics and Developmental Biology* **19**: 189-200.
- Badawi, M. H., Zaki, M., Ismail, E. A. and Majid Molla, A. (1998). Congenital chloride diarrhoea in Kuwait: a clinical reappraisal. *Journal of Tropical Pediatrics* **44**: 296-299.
- Bader, P. I., Dougherty, S., Cangany, N., Raymond, G. and Jackson, C. E. (2000). Infantile Refsum disease in four Amish sibs. *American Journal of Medical Genetics* **90**: 110-114.
- Baghdassarian, S. A. and Tabbara, K. F. (1975). Childhood blindness in Lebanon. *American Journal of Ophthalmology* **79**: 827-830.
- Bahabri, S. A., Suwairi, W. M., Laxer, R. M., Polinkovsky, A., Dalaan, A. A. and Warman, M. L. (1998). The camptodactyly-arthropathy-coxa vara-pericarditis syndrome: clinical features and genetic mapping to human chromosome 1. *Arthritis and Rheumatism* **41**: 730-735.
- Bahakim, H. M. and El-Idrissy, I. M. (1989). Epidemiological observations of consanguinity and retinoblastoma in Arabia. A retrospective study. *Tropical and Geographical Medicine* **41**: 361-364.
- Bal, J., Stuhmann, M., Schloesser, M., Schmidtke, J. and Reiss, J. A. (1991). A cystic fibrosis patient homozygous for the nonsense mutation R553X. *Journal of Medical Genetics* **28**: 715-717.
- Bala, K. (1995). Pseudohypoaldosteronism in a family with variable presentation. *Indian Journal of Pediatrics* **32**: 810-811.
- Balçi, S., Bostanoglu, S., Altinok, G. and Ozaltin, F. (2000). New syndrome?: Three sibs diagnosed prenatally with situs inversus totalis, renal and pancreatic dysplasia, and cysts. *American Journal of Medical Genetics* **90**: 185-187.

- Balçi, S., Tanzer, F., Atasu, M. and Özalp, I. (1989). Dermatoglyphic study in children with phenylketonuria. *Journal of Inherited Metabolic Diseases* **12**: 323-326.
- Baldwin, C. T., Weiss, S., Farrer, L. A., De Stefano, A. L., Adair, R., Franklyn, B. and et al (1995). Linkage of congenital recessive deafness (DFNB4) to chromosome 7q31 and evidence for genetic heterogeneity in the Middle Eastern Druze population. *Human Molecular Genetics* **4**: 1637-1642.
- Bale, S. J. (1998). Geneticists share the family jewels: how inbreeding has contributed to understanding hereditary skin disease. *Journal of Cutaneous Medicine and Surgery* **2**: 168-171.
- Balemans, W., Ebeling, M., Patel, N., Van Hul, E., Olson, P., Dioszegi, M., Lacza, C., Wuyts, W., et al. (2001). Increased bone density in sclerosteosis is due to the deficiency of a novel secreted protein (SOST). *Human Molecular Genetics* **10**: 537-543.
- Balemans, W., Patel, N., Ebeling, M., Van Hul, E., Wuyts, W., Lacza, C., Dioszegi, M., Dikkers, F. G., et al. (2002). Identification of a 52 kb deletion downstream of the SOST gene in patients with van Buchem disease. *Journal of Medical Genetics* **39**: 91-97.
- Balemans, W., Van Den Ende, J., Freire Paes-Alves, A., Dikkers, F. G., Willems, P. J., Vanhoenacker, F., de Almeida-Melo, N., Alves, C. F., et al. (1999). Localization of the gene for sclerosteosis to the van Buchem disease-gene region on chromosome 17q12-q21. *American Journal of Human Genetics* **64**: 1661-1669.
- Baliga, V., Thwaites, R., Tilyer, M. L., Minford, A., Paprapia, L. and Allgrove, J. (1995). Homozygous protein C deficiency - management with protein C concentrate. *European Journal of Pediatrics* **154**: 534-538.
- Balta, G., Gumruk, F., Akarsu, N., Gurgey, A. and Altay, C. (2003). Molecular characterization of Turkish patients with pyrimidine 5' nucleotidase-I deficiency. *Blood* **102**: 1900-1903.
- Bappal, B., Raghupathy, P., de Silva, V. and Khusaiby, S. M. (1999). Permanent neonatal diabetes mellitus: clinical presentation and epidemiology in Oman. *Archives of Disease in Childhood Fetal and Neonatal Edition* **80**: F209-F212.
- Barbet, F., Gerber, S., Hakiki, S., Perrault, I., Hanein, S., Ducroq, D., Tanguy, G., Duffier, J. L., et al. (2003). A first locus for isolated autosomal recessive optic atrophy (ROA1) maps to chromosome 8q. *European Journal of Human Genetics* **11**: 966-971.
- Barbouche, M. R., Sghiri, R., Mellouli, F., Boukhdrir, Y., Dellagi, K. and Bejaoui, M. (1999). Chronic septic granulomatous disease. 14 cases. *La Presse Medicale* **28**: 2034-2036.

- Bareil, C., Hamel, C. P., Delague, V., Arnaud, B., Demaille, J. and Claustres, M. (2001). Segregation of a mutation in CNGB1 encoding the beta-subunit of the rod cGMP-gated channel in a family with autosomal recessive retinitis pigmentosa. *Human Genetics* **108**: 328-334.
- Baroncini, L., Cozzi, G., Canciani, M. T., Peyvandi, F., Srivastava, A., Federici, A. B. and Mannucci, P. M. (2000). Molecular characterization of a multiethnic group of 21 patients with type 3 von Willebrand disease. *Thrombosis and Haemostasis* **84**: 536-540.
- Bas, F., Saka, N., Darendeliler, F., Tuzlali, S., Ilhan, R., Bundak, R. and Gunoz, H. (2000). Bilateral ovarian steroid cell tumor in congenital adrenal hyperplasia due to classic 11beta-hydroxylase deficiency. *Journal of Pediatric Endocrinology and Metabolism* **13**: 663-667.
- Başaran, N., Cenani, A., Şayli, B. S., Özkinay, C., Artan, S., Seven, H., Başaran, A. and Dinçer, S. (1992). Consanguineous marriages among parents of Down patients. *Clinical Genetics* **42**: 13-15.
- Başaran, N., Hassa, H., Başaran, A., Artan, S., Stevenson, J. D. and Şayli, B. (1989). The effects of consanguinity on the reproductive wastage in the Turkish population. *Clinical Genetics* **36**: 168-173.
- Basseres, D. S., Salles, T. S., Costa, F. F. and Saad, S. T. (1998). Presence of allele alphaLELY in an Amazonian Indian population. *American Journal of Hematology* **57**: 212-214.
- Bassili, A., Mokhtar, S. A., Dabous, N. I., Zaher, S. R., Mokhtar, M. M. and Zaki, A. (2000). Risk factors for congenital heart diseases in Alexandria, Egypt. *European Journal of Epidemiology* **16**: 805-814.
- Bassyouni, H. T., Afifi, H. H., el-Awadi, M. K. and Meguid, N. A. (2000). Mucopolysaccharidosis type I: clinical and biochemical study. *Eastern Mediterranean Health Journal* **6**: 359-366.
- Basti, S., Hejtmancik, J. F., Padma, T., Ayyagari, R., Kaiser-Kupfer, M. I., Murty, J. S. and Rao, G. N. (1996). Autosomal dominant zonular cataract with sutural opacities in a four-generation family. *American Journal of Ophthalmology* **121**: 162-168.
- Batta, K., Rugg, E. L., Wilson, N. J., West, N., Goodyear, H., Lane, E. B., Gratian, M., Dopping-Hepenstal, P., *et al.* (2000). A keratin 14 'knockout' mutation in recessive epidermolysis bullosa simplex resulting in less severe disease. *British Journal of Dermatology* **143**: 621-627.
- Baumann, C., Garel, C., Vuillemain, L., Hassan, M. and Verloes, A. (2003). Severely delayed epiphyseal ossification dysplasia with normal stature. *American Journal of Medical Genetics* **120A**: 553-556.

- Baumann, P., Myllyla, V. V. and Leisti, J. (1998). Myotonia congenita in northern Finland: an epidemiological and genetic study. *Journal of Medical Genetics* **35**: 293-296.
- Baxová, A., Maroteaux, P., Barosovlá, J. and Netriová, I. (1994). Parental consanguinity in two sibs with omodysplasia. *American Journal of Medical Genetics* **49**: 263-265.
- Baykan, B., Madia, F., Bebek, N., Gianotti, S., Guney, A. I., Cine, N., Bianchi, A., Gokyigit, A., *et al.* (2004). Autosomal recessive idiopathic epilepsy in an inbred family from Turkey: identification of a putative locus on chromosome 9q32-33. *Epilepsia* **45**: 479-487.
- Bayoumi, R. A., Taha, T. S. M. and Saha, N. (1988). Study of possible genetic predisposition to endemic goitre among the Fur and Baggara tribes of Sudan. *Human Heredity* **38**: 8-11.
- Becker, S. and Al Halees, Z. (1999). First-cousin matings and congenital heart disease in Saudi Arabia. *Community Genetics* **2**: 69-73.
- Becker, S. M., Al Halees, Z., Molina, C. and Paterson, R. M. (2001). Consanguinity and congenital heart disease in Saudi Arabia. *American Journal of Medical Genetics* **99**: 8-13.
- Bedwani, R., Abdel-Fattah, M., El-Shazly, M., Bassili, A., Zaki, A., Seif, H. A. and Weber, W. (2001). Profile of familial breast cancer in Alexandria, Egypt. *Anticancer Research* **21**: 3011-3014.
- Beesley, C. E., Burke, D., Jackson, M., Vellodi, A., Winchester, B. G. and Young, E. P. (2003). Sanfilippo syndrome type D: identification of the first mutation in the N-acetylglucosamine-6-sulphatase gene. *Journal of Medical Genetics* **40**: 192-194.
- Bejjani, B. A., Stockton, D. W., Lewis, R. A., Tomey, K. F., Dueker, D. K., Jabak, M., Astle, W. F. and Lupski, J. R. (2000). Multiple CYP1B1 mutations and incomplete penetrance in an inbred population segregating primary congenital glaucoma suggest frequent de novo events and a dominant modifier locus. *Human Molecular Genetics* **9**: 367-374.
- Bekir, N. A., Gungor, K. and Guran, S. (2000). A DIDMOAD syndrome family with juvenile glaucoma and myopia findings. *Acta Ophthalmologica Scandinavica* **78**: 480-482.
- Beltran-Valero de Bernabe, D., Currier, S., Steinbrecher, A., Celli, J., van Beusekom, E., van der Zwaag, B., Kayserili, H., Merlini, L., *et al.* (2002). Mutations in the O-mannosyltransferase gene POMT1 give rise to the severe neuronal migration disorder Walker-Warburg syndrome. *American Journal of Human Genetics* **71**: 1033-1043.

- Ben Arab, S., Bonaïti-Pellié, C. and Belahia, A. (1990). An epidemiological and genetic study of congenital profound deafness in Tunisia (Governate of Nabeul). *Journal of Medical Genetics* **27**: 29-33.
- Ben Arab, S. and Chalbi, N. (1984). Contribution a une étude de la consanguinité et ses effets dans le gouvernorat de Bizerte. *Tunis Medicale* **62**: 551-554 [In French].
- Ben Arab, S., Hmani, M., Denoyelle, F., Boulila-Elgaied, A., Chardenoux, S., Hachicha, S., Petit, C. and Ayadi, H. (2000). Mutations of GJB2 in three geographic isolates from northern Tunisia: evidence for genetic heterogeneity within isolates. *Clinical Genetics* **57**: 439-443.
- Ben Hamida, M., Chaabouni, H., Madani, S., Boussen, S., Samoud, S., Letaief, F., Mrabet, A., Hentati, F., *et al.* (1986). Etude génétique des hérédodégénérescences spino-cérébelleuses en Tunisie. *Journal de Génétique Humaine* **34**: 267-274 [In French].
- Ben Hamida, M., Fardeau, M. and Attia, N. (1983). Severe childhood muscular dystrophy affecting both sexes and frequent in Tunisia. *Muscle and Nerve* **6**: 469-480.
- Ben Hamouda, H., Sfar, M. N., Braham, R., Ben Salah, M., Ayadi, A., Soua, H., Hamza, H. and Sfar, M. T. (2001). Association of severe autosomal recessive osteopetrosis and Dandy-Walker syndrome with agenesis of the corpus callosum. *Acta Orthopédica Belgica* **67**: 528-532.
- Benallègue, A. and Kedji, F. (1984). Consanguinité et santé publique: Etude algérienne. *Archives Française de Pédiatrie* **41**: 435-440 [In French].
- Ben-Bassat, I., Simjanovska, L., Jaber, L. and Efremov, G. D. (1998). Hb Taybe: description of genetics and laboratory findings in an Israeli Arab family. *Hemoglobin* **22**: 161-166.
- Bener, A., Denic, S. and Al-Mazrouei, M. (2001). Consanguinity and family history of cancer in children with leukemia and lymphomas. *Cancer* **92**: 1-6.
- Benigno, V., Canonica, C. S., Bettinelli, A., von Vigier, R. O., Truttmann, A. C. and Bianchetti, M. G. (2000). Hypomagnesaemia-hypercalciuria-nephrocalcinosis: a report of nine cases and a review. *Nephrology Dialysis and Transplant* **15**: 605-610.
- Benit, P., Beugnot, R., Chretien, D., Giurgea, I., De Lonlay-Debeney, P., Issartel, J. P., Corral-Debrinski, M., Kerscher, S., *et al.* (2003). Mutant NDUFB2 subunit of mitochondrial complex I causes early onset hypertrophic cardiomyopathy and encephalopathy. *Human Mutation* **21**: 582-586.
- Bennett, C. L., Parisi, M. A., Eckert, M. L., Huynh, H. M., Chance, P. F. and Glass, I. A. (2004). Joubert syndrome: a haplotype segregation strategy and exclusion of

- the zinc finger protein of cerebellum 1 (ZIC1) gene. *American Journal of Medical Genetics* **125A**: 117-124; discussion 117.
- Bennett, S., Lienhardt, C., Bah-Sow, O., Gustafson, P., Manneh, K., Del Prete, G., Gomes, V., Newport, M., *et al.* (2002). Investigation of environmental and host-related risk factors for tuberculosis in Africa. II. Investigation of host genetic factors. *American Journal of Epidemiology* **155**: 1074-1079.
- Ben-Zeev, B., Gross, V., Kushnir, T., Shalev, R., Hoffman, C., Shinar, Y., Pras, E. and Brand, N. (2001). Vacuolating megalencephalic leukoencephalopathy in 12 Israeli patients. *Journal of Childhood Neurology* **16**: 93-99.
- Berghoff, C., Berghoff, M., Leal, A., Morera, B., Barrantes, R., Reis, A., Neundorfer, B., Rautenstrauss, B., *et al.* (2004). Clinical and electrophysiological characteristics of autosomal recessive axonal Charcot-Marie-Tooth disease (ARCMT2B) that maps to chromosome 19q13.3. *Neuromuscular Disorders* **14**: 301-306.
- Bergmann, C., Zerres, K., Peschgens, T., Senderek, J., Hornchen, H. and Rudnik-Schoneborn, S. (2003). Overlap between VACTERL and hemifacial microsomia illustrating a spectrum of malformations seen in axial mesodermal dysplasia complex (AMDC). *American Journal of Medical Genetics* **121A**: 151-155.
- Bergwitz, C., Bremer, B., Soudah, B., Mayr, B. and Brabant, G. (2001). Familial isolated parathyroid adenoma in a consanguineous family. *Journal of Endocrinological Investigation* **24**: 349-355.
- Berliner, S. A., Seligsohn, U., Zeivelin, A., Zwang, E. and Sofferan, G. (1986). A relatively high frequency of severe (type III) von Willebrand's disease in Israel. *British Journal of Haematology* **62**: 535-543.
- Bernstein, I., Bülow, S. and Mauritzen, K. (1992). Hepatoblastoma in two cousins in a family with Adenomatous Polyposis. Report of two cases. *Diseases of the Colon and Rectum* **35**: 373-374.
- Berry, A., Scott, H. S., Kudoh, J., Taliør, I., Korostishevsky, M., Wattenhofer, M., Guipponi, M., Barras, C., *et al.* (2000). Refined localization of autosomal recessive nonsyndromic deafness DFNB10 locus using 34 novel microsatellite markers, genomic structure, and exclusion of six known genes in the region. *Genomics* **68**: 22-29.
- Bertolini, S., Pisciotta, L., Seri, M., Cusano, R., Cantafora, A., Calabresi, L., Franceschini, G., Ravazzolo, R., *et al.* (2001). A point mutation in ABC1 gene in a patient with severe premature coronary heart disease and mild clinical phenotype of Tangier disease. *Atherosclerosis* **154**: 599-605.
- Bessant, D., Khaliq, S., Hameed, A., Anwar, K., Mehdi, S., Payne, A. and Bhattacharya, S. (1998). A locus for autosomal recessive congenital microphthalmia maps to chromosome 14q32. *American Journal of Human Genetics* **62**: 1113-1116.

- Bessant, D. A., Anwar, K., Khaliq, S., Hameed, A., Ismail, M., Payne, A. M., Mehdi, S. Q. and Bhattacharya, S. S. (1999). Phenotype of autosomal recessive congenital microphthalmia mapping to chromosome 14q32. *British Journal of Ophthalmology* **83**: 919-922.
- Bessauod, K., Boudraa, G., Deschamps, I., Horis, J., Ben Bouabdallah, M. and Touhami, M. (1990). Epidemiologie du diabete insulinodependent juvenile en Algerie. *Revue d' Epidemiologie et Santé Publique* **38**: 91-99 [In French].
- Besson, A., Salemi, S., Eble, A., Joncourt, F., Gallati, S., Jorge, A. A. and Mullis, P. E. (2004). Primary GH insensitivity (Laron syndrome) caused by a novel 4 kb deletion encompassing exon 5 of the GH receptor gene: effect of intermittent long-term treatment with recombinant human IGF-I. *European Journal of Endocrinology* **150**: 635-642.
- Biesma, D. H., Hannema, A. J., van Velzen-Blad, H., Mulder, L., van Zwieten, R., Kluijft, I. and Roos, D. (2001). A family with complement factor D deficiency. *Journal of Clinical Investigation* **108**: 233-240.
- Bilodeau, A., Prasil, P., Cloutier, R., Laframboise, R., Meguerditchian, A. N., Roy, G., Leclerc, S. and Peloquin, J. (2004). Hereditary multiple intestinal atresia: thirty years later. *Journal of Pediatric Surgery* **39**: 726-730.
- Birouk, N., Azzedine, H., Dubourg, O., Muriel, M. P., Benomar, A., Hamadouche, T., Maisonobe, T., Ouazzani, R., *et al.* (2003). Phenotypical features of a Moroccan family with autosomal recessive Charcot-Marie-Tooth disease associated with the S194X mutation in the GDAP1 gene. *Archives of Neurology* **60**: 598-604.
- Bitar, F. F., Baltaji, N., Dbaibo, G., Abed el-Jawad, M., Yunis, K. A. and Obeid, M. (1999). Congenital heart disease at a tertiary care center in Lebanon. *Middle East Journal of Anesthesiology* **15**: 159-164.
- Bitner-Glindzicz, M., Lindley, K. J., Rutland, P., Blaydon, D., Smith, V. V., Milla, P. J., Hussain, K., Furth-Lavi, J., *et al.* (2000). A recessive contiguous gene deletion causing infantile hyperinsulinism, enteropathy and deafness identifies the Usher type 1C gene. *Nature Genetics* **26**: 56-60.
- Bitoun, P., Bandini, D. and Rigaudiere, F. (1991). A hereditary syndrome with retinopathy and ataxia or deafness in 2 consanguineous brothers. *Ophthalmic Paediatrics and Genetics* **12**: 149-152.
- Bitti, P. P., Murgia, B. S., Ticca, A., Ferrai, R., Musu, L., Piras, M. L., Puledda, E., Campo, S., *et al.* (2001). Association between the ancestral haplotype HLA A30B18DR3 and multiple sclerosis in central Sardinia. *Genetic Epidemiology* **20**: 271-283.
- Bittles, A. (2001). Consanguinity and its relevance to clinical genetics. *Clinical Genetics* **60**: 89-98.

- Bittles, A. H. (2003). Consanguineous marriage and childhood health. *Developmental Medicine and Child Neurology* **45**: 571-576.
- Bittles, A. H. (2004). Consanguinity and cervical cancer: a quizzical response. *Medical Hypotheses* **62**: 1021-1022.
- Bittles, A. H., Sullivan, S. G. and Zhiotovskiy, L. A. (2004). Consanguinity, caste and deaf-mutism in Punjab, 1921. *Journal of Biosocial Science* **36**: 221-234.
- Bjarnason, R., Banerjee, K., Rose, S. J., Rosberg, S., Metherell, L., Clark, A. J., Albertsson-Wikland, K. and Savage, M. O. (2002). Spontaneous growth hormone secretory characteristics in children with partial growth hormone insensitivity. *Clinical Endocrinology (Oxford)* **57**: 357-361.
- Black, I. L., Fitzsimmons, J., Fitzsimmons, E. and Thomas, A. J. (1982). Parental consanguinity and the Magewski syndrome. *Journal of Medical Genetics* **19**: 141-143.
- Blair, E. M., Walsh, S., Oldridge, M., Wall, S. A. and Wilkie, A. O. (2000). Newly recognised craniosynostosis syndrome that does not map to known disease loci. *American Journal of Medical Genetics* **95**: 4-9.
- Blanton, S. H., Pandya, A., Landa, B. L., Javaheri, R., Xia, X., Nance, W. E., Pomponio, R. J., Norrgard, K. J., *et al.* (2000). Fine mapping of the human biotinidase gene and haplotype analysis of five common mutations. *Human Heredity* **50**: 102-111.
- Blomquist, H. K. S., Bäck, O., Fagerlund, M., Holmgren, G. and Stecksén-Blicks, C. (1991). Tay or IBIDS syndrome A case with growth and mental retardation, congenital ichthyosis and brittle hair. *Acta Paediatrica Scandinavica* **80**: 1241-1245.
- Bohlega, S., Kambouris, M., Shahid, M., Al Homsy, M. and Al Sous, W. (2000). Gaucher disease with oculomotor apraxia and cardiovascular calcification (Gaucher type IIIC). *Neurology* **54**: 261-263.
- Bomont, P., Watanabe, M., Gershoni-Barush, R., Shizuka, M., Tanaka, M., Sugano, J., Guiraud-Chaumeil, C. and Koenig, M. (2000). Homozygosity mapping of spinocerebellar ataxia with cerebellar atrophy and peripheral neuropathy to 9q33-34, and with hearing impairment and optic atrophy to 6p21-23. *European Journal of Human Genetics* **8**: 986-990.
- Bonneau, D., Kaplan, J., Girard, G. and Dufier, J.-L. (1992). Autosomal inheritance of "senile" retinitis pigmentosa. A report of a family with consanguinity. *Clinical Genetics* **42**: 199-200.
- Bonthron, D. T., Barlow, K. M., Burt, A. M. and Barr, D. G. D. (1993). Parental consanguinity in the blepharophimosis, heart defect, hypothyroidism, mental retardation syndrome (Young-Simpson syndrome). *Journal of Medical Genetics* **30**: 255-256.

- Bonthron, D. T., Dunlop, N., Barr, D. G., El Sanousi, A. A. and Al-Gazali, L. I. (1998). Organisation of the human PAX4 gene and its exclusion as a candidate for the Wolcott-Rallison syndrome. *Journal of Medical Genetics* **35**: 288-292.
- Borglum, A. D., Balslev, T., Haagerup, A., Birkebaek, N., Binderup, H., Kruse, T. A. and Hertz, J. M. (2001). A new locus for Seckel syndrome on chromosome 18p11.31-q11.2. *European Journal of Human Genetics* **9**: 753-757.
- Bork, J. M., Peters, L. M., Riazuddin, S., Bernstein, S. L., Ahmed, Z. M., Ness, S. L., Polomeno, R., Ramesh, A., *et al.* (2001). Usher syndrome 1D and nonsyndromic autosomal recessive deafness DFNB12 are caused by allelic mutations of the novel cadherin-like gene CDH23. *American Journal of Human Genetics* **68**: 26-37.
- Bouadjar, B., Benmazouzia, S., Prud'homme, J. F., Cure, S. and Fischer, J. (2000). Clinical and genetic studies of 3 large, consanguineous, Algerian families with Mal de Meleda. *Archives of Dermatology* **136**: 1247-1252.
- Bouhouche, A., Benomar, A., Birouk, N., Mularoni, A., Meggouh, F., Tassin, J., Grid, D., Vandenberghe, A., *et al.* (1999). A locus for an axonal form of autosomal recessive Charcot-Marie-Tooth disease maps to chromosome 1q21.2-q21.3. *American Journal of Human Genetics* **65**: 722-777.
- Bourhama, M. H., Al-Matter, E. R., Aboobacker, K. C. and Al-Humood, S. (2004). Familial Diamond-Blackfan anemia. Case reports and a review of the related literature. *Journal of Tropical Pediatrics* **50**: 54-56.
- Brady, A. F., Winter, R. M., Wilson, L. C., Tatnall, F. M., Sheridan, R. J. and Garrett, C. (2002). Hemifacial microsomia, external auditory canal atresia, deafness and Mullerian anomalies associated with acro-osteolysis: a new autosomal recessive syndrome? *Clinical Dysmorphology* **11**: 155-161.
- Brady, T. B., Kramer, R. L., Qureshi, F., Feldman, B., Kupsy, W. J., Johnson, M. P. and Evans, M. I. (1999). Ontogeny of recurrent hydrocephalus: presentation in three fetuses in one consanguineous family. *Fetal Diagnosis and Therapy* **14**: 198-200.
- Breda, L., Magri, M., Morgese, G. and Chiarelli, F. (1998). Familial Mediterranean fever in two Italian brothers. *Panminerva Medicina* **40**: 157-160.
- Breuning, M. H., Oranje, A. P., Langemeijer, R. A., Hovius, S. E., Diepstraten, A. F., den Hollander, J. C., Baumgartner, N., Dwek, J. R., *et al.* (2000). Recurrent digital fibroma, focal dermal hypoplasia, and limb malformations. *American Journal of Medical Genetics* **94**: 91-101.
- Brickwood, S., Bonthron, D. T., Al-Gazali, L. I., Piper, K., Hearn, T., Wilson, D. I. and Hanley, N. A. (2003). Wolcott-Rallison syndrome: pathogenic insights into neonatal diabetes from new mutation and expression studies of EIF2AK3. *Journal of Medical Genetics* **40**: 685-689.

- Brin, I., Bar-Abudi, R., Abed, Y., Ben-Bassat, Y., Harari, D. and Zilberman, Y. (2003). [A retrospective study of orthodontic treatment of children with clefts] [In Hebrew]. *Refuat Hapeh Vehashinayim* **20**: 65-70, 82.
- Brivet, M., Garcia-Cazorla, A., Lyonnet, S., Dumez, Y., Nassogne, M. C., Slama, A., Boutron, A., Touati, G., *et al.* (2003). Impaired mitochondrial pyruvate importation in a patient and a fetus at risk. *Molecular and Genetic Metabolism* **78**: 186-192.
- Brockington, M., Sewry, C. A., Herrmann, R., Naom, I., Dearlove, A., Rhodes, M., Topaloglu, H., Dubowitz, V., *et al.* (2000). Assignment of a form of congenital muscular dystrophy with secondary merosin deficiency to chromosome 1q42. *American Journal of Human Genetics* **66**: 428-435.
- Brooks, A. S., Breuning, M. H., Osinga, J., Vander, S., Catsman, C. E., Buys, C. H. C. M., Meijers, C. and Hofstra, R. M. W. (1999). A consanguineous family with Hirshsprung disease, microcephaly, and mental retardation (Goldberg-Shprintzen syndrome). *Journal of Medical Genetics* **36**: 485-489.
- Brooks, W. D. W., Heasman, M. A. and Lovell, R. R. H. (1949). Retinitis pigmentosa associated with cystinuria: two uncommon inherited conditions occurring in a family. *Lancet* **i**: 1096-1098.
- Brown, M. D., Hosseini, S., Steiner, I., Wallace, D. C. and Korn-Lubetzki, I. (2004). Complete mitochondrial DNA sequence analysis in a family with early-onset dystonia and optic atrophy. *Movement Disorders* **19**: 235-237.
- Bruel, H., Bouulloche, J., Chabrolle, J. P., Layet, V. and Poinot, J. (1998). Early myoclonic epileptic encephalopathy and non-ketotic hyperglycemia in the same family. *Archives Pediatrique* **5**: 397-399 [In French].
- Brunet, G., Ducluzeau, M. T., Roda, L., Lefrancois, P., Baklouti, F., Delaunay, J. and Robert, J. M. (1993). Diffusion of a particular 4.1 (-) hereditary elliptocytosis allele in the French Northern Alps. *Journal of Biosocial Science* **25**: 239-247.
- Bruni, L., Maggi, E., Capolino, R. and de Prospero, V. (1999). Non-immune fetal hydrops associated with nuchal cystic hygroma: further evidence for an autosomal recessive subtype. *Genetic Counselling* **10**: 271-275.
- Budde, M., Gusek-Schneider, G. C., Junemann, A., Jansen, F. and Shin, Y. S. (1999). [Familial cataract in plasma galactitol increase without known enzyme defect]. *Klinische Monatsblätter für Augenheilkunde* **215**: 255-257 [In German].
- Bulaeva, K. B., Pavlova, T. A., Charukhilova, S. M., Bodia, I. E., Guseinov, G. G. and Akhkuev, S. K. H. (1996). A genetic and demographic study of Dagestan highland populations and migrants to the lowlands. The relationship between levels of consanguinity, homozygosity and physiologic sensitivity. *Genetika* **32**: 93-102.

- Bulkley, B. H. and Hutchins, G. M. (1978). Pompe's disease presenting as hypertrophic mycardiopathy with Wolff-Parkinson-White syndrome. *American Heart Journal* **96**: 246-252.
- Bunday, S. (1994). Clinical and genetic features of ataxia-telangiectasia. *International Journal of Radiation and Biology* **66**: S23-S29.
- Bunday, S. and Alam, H. (1993). A five-year prospective study of the health of children in different ethnic groups, with particular reference to the effect of inbreeding. *European Journal of Human Genetics* **1**: 206-219.
- Bunday, S., Alam, H., Kaur, A., Mir, S. and Lancashire, R. J. (1992). Why do UK-born Pakistani babies have high perinatal and neonatal mortality rates? *Paediatric and Perinatal Epidemiology* **5**: 101-114.
- Bunday, S. and Crews, S. J. (1984). A study of retinitis pigmentosa in the City of Birmingham. *Journal of Medical Genetics* **21**: 417-420.
- Burwinkel, B., Sanjad, S. A., Al-Sabban, E., Al-Abbad, A. and Kilimann, M. W. (1999). A mutation in GLUT2, not in phosphorylase kinase subunits, in hepatorenal glycogenosis with Fanconi syndrome and low phosphorylase kinase activity. *Human Genetics* **105**: 240-243.